www.jiecang.com

JIECANG

Odette height adjustable desk frame

JC35TF-DC2R



TECHNOLOGY
DRIVES INTELLIGENT LIFE

JIECANG

Data sheet

JC35TF-DC2R

- JC35TF-DC2R is an innovative electric adjustable desk frame, which can be widely used at home, office and commercial environments.
- Minimalist aesthetics, elaborate design, innovative modeling to match different application scenarios.
- Lifting system structure is simple, embedded hand set easy to control the lifting.
- Four legs synchronous stability, equipped with sensitive anti-collision function, safe lifting.



Features

- Load: 1000N
- Self-lock: 1000N
- Maximum speed no load ~ rated load: 32mm/s
- Low noise: ≤53dB
- Frame size: 1800X800mm(Do not stretch)
- Height Range: 700–1150mm
- Surface: powder-coating, standard colors: white, black, silver

Option

- Customized colors are acceptable


Usages

- Matching: JIECANG embedded desktop handset; JCB36M4 control box; Desktop of 1800X800mm
- Duty cycle: 20%; 2 minutes continuous use followed by 8 minutes not in use
- Usage environment: Indoor
- Ambient temperature: −10℃~70℃


Technical specifications

Model	Load (N)	Self-lock (N)	Rated load current (A)	Maximum speed no load ~ rated load (mm/s)	Duty cycle	Stroke (mm)	Min. height (mm)
JC35TF-DC2R	1000	1000	4	32	20%	450	700

Dimensions



Ordering Key



Special specification of column	
Optional function	01=column with welding plates, equipped with horizontal beam 02=desktop
Leveling stand code	15=Small foot glide 02=ET leveling stand
Color code	H=white B=Black S=silver
Side bracket code	107=JS36DR1Side panel
Frame code	152=TF frame 154=Bending frame
Table foot code	186=embedded reinforced desk foot 146=flat desk foot
Column code	DC2R=inverted pipe columns of 2-segments R13S=rectangular pipe columns of 3-segments
Lifting desk series code	JC35TS=2 columns JC35TT=3 columns JC35TF=4 columns